

## Tables

A summary of diseases currently being reported by each jurisdiction is provided in Table 1. There were 30,752 notifications to the National Notifiable Diseases Surveillance System (NNDSS) with a notification date between 1 January and 31 March 2005 (Table 2). The notification rate of diseases per 100,000 population for each State or Territory is presented in Table 3.

There were 4,127 reports received by the Virology and Serology Laboratory Reporting Scheme (LabVISE) in the reporting period, 1 January to 31 March 2005 (Tables 4 and 5).

**Table 1. Reporting of notifiable diseases by jurisdiction**

Disease	Data received from:	Disease	Data received from:
<b>Bloodborne diseases</b>		<b>Vaccine preventable diseases</b>	
Hepatitis B (incident)	All jurisdictions	Diphtheria	All jurisdictions
Hepatitis B (unspecified)	All jurisdictions except NT	<i>Haemophilus influenzae</i> type b	All jurisdictions
Hepatitis C (incident)	All jurisdictions except Qld	Influenza (laboratory confirmed)*	All jurisdictions
Hepatitis C (unspecified)	All jurisdictions	Measles	All jurisdictions
Hepatitis D	All jurisdictions	Mumps	All jurisdictions
<b>Gastrointestinal diseases</b>		Pertussis	All jurisdictions
Botulism	All jurisdictions	Pneumococcal disease (invasive)	All jurisdictions
Campylobacteriosis	All jurisdictions except NSW	Poliomyelitis	All jurisdictions
Cryptosporidiosis	All jurisdictions	Rubella	All jurisdictions
Haemolytic uraemic syndrome	All jurisdictions	Tetanus	All jurisdictions
Hepatitis A	All jurisdictions	<b>Vectorborne diseases</b>	
Hepatitis E	All jurisdictions	Barmah Forest virus infection	All jurisdictions
Listeriosis	All jurisdictions	Flavivirus infection (NEC) <sup>†</sup>	All jurisdictions
Salmonellosis	All jurisdictions	Dengue	All jurisdictions
Shigellosis	All jurisdictions	Japanese encephalitis virus	All jurisdictions
SLTEC, VTEC	All jurisdictions	Kunjin virus <sup>‡</sup>	All jurisdictions except ACT
Typhoid	All jurisdictions	Malaria	All jurisdictions
<b>Quarantinable diseases</b>		Murray Valley encephalitis virus <sup>‡</sup>	All jurisdictions except ACT
Cholera	All jurisdictions	Ross River virus infection	All jurisdictions
Plague	All jurisdictions	<b>Zoonoses</b>	
Rabies	All jurisdictions	Anthrax	All jurisdictions
Smallpox	All jurisdictions except ACT, Qld	Australian bat lyssavirus	All jurisdictions
Tularemia	All jurisdictions except Qld	Brucellosis	All jurisdictions
Viral haemorrhagic fever	All jurisdictions	Leptospirosis	All jurisdictions
Yellow fever	All jurisdictions	Lyssaviruses unspecified	All jurisdictions
<b>Sexually transmissible infections</b>		Ornithosis	All jurisdictions
Chlamydial infection	All jurisdictions	Q fever	All jurisdictions
Donovanosis	All jurisdictions	<b>Other bacterial infections</b>	
Gonococcal infection	All jurisdictions	Legionellosis	All jurisdictions
Syphilis (unspecified)	All jurisdictions	Leprosy	All jurisdictions
Syphilis < 2 years duration	All jurisdictions	Meningococcal infection	All jurisdictions
Syphilis > 2 years duration	All jurisdictions	Tuberculosis	All jurisdictions
Syphilis - congenital	All jurisdictions		

\* Laboratory confirmed influenza is not notifiable in the Australian Capital Territory but reports are forwarded to NNDSS.

† Flavivirus (NEC) replaced Arbovirus (NEC) from 1 January 2004.

‡ In the Australian Capital Territory, Murray Valley encephalitis virus and Kunjin virus are combined under Murray Valley encephalitis virus.

Table 2. Notifications of diseases received by State and Territory health authorities in the period 1 January to 31 March 2005, by date of onset\*

Disease	State or territory							Total 1st quarter 2005 <sup>1</sup>	Total 4th quarter 2004	Total 1st quarter 2004	Last 5 years mean 1st quarter	Year to date 2005	Last 5 years YTD mean	Ratio <sup>†</sup>	
	ACT	NSW	NT	Qld	SA	Tas	Vic								WA
<b>Bloodborne diseases</b>															
Hepatitis B (incident)	2	17	0	14	3	0	25	9	70	63	71	75.0	70	75.0	0.9
Hepatitis B (unspecified)	17	860	26	239	54	12	421	120	1,750	1,681	1,520	1,474.0	1,750	1,474.0	1.2
Hepatitis C (incident)	1	2	1	0	8	3	5	23	40	87	91	113.6	40	113.6	0.4
Hepatitis C (unspecified)	40	1,467	71	710	89	57	717	266	3,422	3,605	3,575	3,833.8	3,422	3,833.8	0.9
Hepatitis D	0	3	0	1	0	0	0	0	4	5	4	5.2	4	5.2	0.8
<b>Gastrointestinal diseases</b>															
Botulism	0	0	0	1	0	0	0	0	1	0	1	0.3	1	0.3	4.0
Campylobacteriosis <sup>2</sup>	118	NIN	58	1,026	440	195	1,664	610	4,110	4,516	4,300	3,146.6	4,110	3,146.6	1.3
Cryptosporidiosis <sup>†</sup>	4	134	39	719	58	1	140	60	1,155	449	528	794.5	1,155	794.5	1.5
Haemolytic uraemic syndrome	0	3	0	1	0	0	0	0	4	6	3	2.6	4	2.6	1.5
Hepatitis A	3	21	2	12	2	1	23	17	81	61	108	139.0	81	139.0	0.6
Hepatitis E	0	3	0	3	0	0	7	2	15	6	11	5.4	15	5.4	2.8
Listeriosis	0	8	0	1	1	0	1	2	13	14	16	16.6	13	16.6	0.8
Salmonellosis (NEC)	31	684	117	877	151	41	594	208	2,703	1,964	2,763	2,211.0	2,703	2,211.0	1.2
Shigellosis	3	40	57	27	11	1	33	51	223	144	153	131.4	223	131.4	1.7
SLTEC, VTEC <sup>3</sup>	0	2	0	3	6	0	1	1	13	14	14	14.0	13	14.0	0.9
Typhoid	0	16	0	1	1	0	5	1	24	16	30	25.6	24	25.6	0.9
<b>Quarantinable diseases</b>															
Cholera	0	0	0	0	0	0	2	0	2	0	1	1.0	2	1.0	2.0
Plague	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Rabies	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Smallpox	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Tularemia	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Viral haemorrhagic fever	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Yellow fever	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0

**Table 2. Notifications of diseases received by State and Territory health authorities in the period 1 January to 31 March 2005, by date of onset,\***  
*continued*

Disease	State or territory							Total 1st quarter 2005 <sup>1</sup>	Total 4th quarter 2004	Total 1st quarter 2004	Last 5 years mean 1st quarter	Year to date 2005	Last 5 years YTD mean	Ratio <sup>†</sup>
	ACT	NSW	NT	Qld	SA	Tas	Vic							
<b>Sexually transmissible infections</b>														
Chlamydia infection	172	2,801	362	2,340	556	211	2,148	1,256	9,120	9,222	5,169.0	9,859	5,169.0	1.9
Donovanosis	0	0	2	3	0	0	0	0	4	2	4.8	5	4.8	1.0
Gonococcal infection	7	349	417	377	67	9	261	468	1,757	1,822	1,437.4	1,955	1,437.4	1.4
Syphilis (unspecified)	4	0	0	0	2	0	0	0	3	71	261.2	6	261.2	0.0
Syphilis < two years duration	2	39	22	21	4	1	19	4	153	145	77.7	112	77.7	1.4
Syphilis > two years duration	0	215	23	45	0	5	91	26	435	533	278.0	405	278.0	1.5
Syphilis - congenital	0	2	1	0	0	0	0	0	3	2	2.0	3	2.0	1.5
<b>Vaccine preventable disease</b>														
Diphtheria	0	0	0	0	0	0	0	0	0	0	0.2	0	0.2	0.0
<i>Haemophilus influenzae</i> type b	0	2	1	1	0	0	2	1	2	4	4.0	7	4.0	1.8
Influenza (laboratory confirmed) <sup>†</sup>	3	276	1	29	12	3	29	25	764	110	79.0	378	79.0	4.8
Measles	0	4	0	0	1	1	1	0	25	16	26.0	7	26.0	0.3
Mumps	0	32	3	1	3	0	4	6	38	24	26.2	49	26.2	1.9
Pertussis	45	771	31	325	272	7	291	192	3,385	1,122	1,099.6	1,934	1,099.6	1.8
Pneumococcal disease (invasive) <sup>†</sup>	10	74	10	41	17	8	54	26	461	326	232.0	240	232.0	1.0
Poliomyelitis	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Rubella	0	2	0	2	0	0	3	0	14	8	35.8	7	35.8	0.2
Rubella - congenital	0	0	0	0	0	0	0	0	0	1	0.4	0	0.4	0.0
Tetanus	0	0	0	0	0	0	0	0	1	2	1.0	0	1.0	0.0
<b>Vectorborne diseases</b>														
Barmah Forest virus infection	0	108	13	178	9	0	3	16	274	318	249.2	327	249.2	1.3
Dengue	1	10	9	65	1	0	3	5	19	236	117.6	94	117.6	0.8
Flavivirus infection (NEC)	0	3	0	8	0	0	0	0	6	43	25.0	11	25.0	0.4
Japanese encephalitis virus <sup>†</sup>	0	0	0	1	0	0	0	0	1	1	0.2	1	0.2	5.0
Kunjin virus <sup>†</sup>	0	0	0	1	0	0	0	0	2	8	3.3	1	3.3	0.3
Malaria	5	117	15	139	22	10	27	23	149	124	167.8	358	167.8	2.1
Murray Valley encephalitis virus <sup>†</sup>	0	0	1	1	0	0	0	0	0	0	1.5	2	1.5	1.3
Ross River virus infection	3	115	107	542	12	0	11	42	237	2,443	1,395.4	832	1,395.4	0.6

**Table 2. Notifications of diseases received by State and Territory health authorities in the period 1 January to 31 March 2005, by date of onset,\***  
*continued*

Disease	State or territory								Total 1st quarter 2005 <sup>†</sup>	Total 4th quarter 2004	Total 1st quarter 2004	Last 5 years mean 1st quarter	Year to date 2005	Last 5 years YTD mean	Ratio <sup>†</sup>
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA							
<b>Zoonoses</b>															
Anthrax <sup>‡</sup>	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Australian bat lyssavirus <sup>‡</sup>	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Brucellosis	0	0	0	13	0	0	0	1	0	14	6	6.6	14	6.6	2.1
Leptospirosis	0	14	1	21	0	0	0	1	0	37	69	60.0	37	60.0	0.6
Lyssavirus unspecified <sup>‡</sup>	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Ornithosis	0	20	0	1	0	0	0	9	1	31	73	33.6	31	33.6	0.9
Q fever	0	24	0	37	4	0	0	3	0	68	117	147.0	68	147.0	0.5
<b>Other bacterial infections</b>															
Legionellosis	0	27	1	12	17	2	23	11		93	93	65.8	93	65.8	1.4
Leprosy	0	0	0	2	0	0	0	2		4	2	1.6	4	1.6	2.5
Meningococcal infection	2	33	2	15	3	0	13	7		75	97	95.2	75	95.2	0.8
Tuberculosis	0	68	5	25	10	2	81	16		207	244	212.4	207	212.4	1.0
<b>Total</b>	473	8,366	1,398	7,881	1,836	585	6,716	3,497		30,752	30,473	23,306.0	30,752	23,306.0	1.3

1. Totals comprise data from all states and territories. Cumulative figures are subject to retrospective revision so there may be discrepancies between the number of new notifications and the increment in the cumulative figure from the previous period.

2. Not reported for New South Wales where it is only notifiable as 'foodborne disease' or 'gastroenteritis in an institution'.

3. Infections with Shiga-like toxin (verotoxin) producing *Escherichia coli* (SLTEC/VTEC).

\* Date of onset = the true onset. If this is not available, the 'date of onset' is equivalent to the earliest of two dates: (i) specimen date of collection, or (ii) the date of notification to the public health unit. Hepatitis B and C unspecified were analysed by the date of notification.

† Ratio = ratio of current quarter total to the mean of last 5 years for the same quarter.

‡ Notifiable from January 2001 only. Ratio and mean calculations are based the last three years.

NN Not notifiable.

NEC Not elsewhere classified.

**Table 3. Notification rates of diseases by state or territory, 1 January to 31 March 2005.  
(Rate per 100,000 population)**

Disease <sup>1</sup>	State or territory								Australia
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA	
<b>Bloodborne diseases</b>									
Hepatitis B (incident)	2.5	1.0	0.0	1.4	0.8	0.0	2.0	1.8	1.4
Hepatitis B (unspecified)	21.0	51.1	52.0	24.6	14.1	10.8	33.9	24.2	34.8
Hepatitis C (incident)	1.2	0.1	2.0	NN	2.1	0.0	0.4	4.6	0.8
Hepatitis C (unspecified)	49.4	87.2	142.1	73.2	23.2	51.4	57.7	53.7	68.1
Hepatitis D	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.1
<b>Gastrointestinal diseases</b>									
Botulism	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Campylobacteriosis <sup>2</sup>	145.7	NN	116.1	105.7	114.7	161.0	133.8	123.1	81.8
Cryptosporidiosis	4.9	8.0	78.0	74.1	15.1	0.8	11.3	12.1	23.0
Haemolytic uraemic syndrome	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.1
Hepatitis A	3.7	1.2	4.0	1.2	0.5	0.8	1.9	3.4	1.6
Hepatitis E	0.0	0.2	0.0	0.3	0.0	0.0	0.6	0.4	0.3
Listeriosis	0.0	0.5	0.0	0.1	0.3	0.0	0.1	0.4	0.3
Salmonellosis (NEC)	38.3	40.6	234.1	90.4	39.4	34.0	47.8	42.0	53.8
Shigellosis	3.7	2.4	114.1	2.8	2.9	0.8	2.7	10.3	4.4
SLTEC, VTEC <sup>3</sup>	0.0	0.1	0.0	0.3	1.6	0.0	0.1	0.2	0.3
Typhoid	0.0	1.0	0.0	0.1	0.3	0.0	0.4	0.2	0.5
<b>Quarantinable diseases</b>									
Cholera	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	<0.1
Plague	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rabies	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Smallpox	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tularemia	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Viral haemorrhagic fever	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Yellow fever	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<b>Sexually transmissible infections</b>									
Chlamydial infection	212.3	166.4	724.3	241.1	145.0	185.8	172.8	253.5	196.1
Donovanosis	0.0	0.0	4.0	0.3	0.0	0.0	0.0	0.0	0.1
Gonococcal infection	8.6	20.7	834.4	38.8	17.5	7.5	21.0	94.4	38.9
Syphilis (unspecified)	4.9	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.1
Syphilis < 2 years duration	2.5	2.3	44.0	2.2	1.0	0.8	1.5	0.8	2.2
Syphilis > 2 years duration	0.0	12.8	46.0	4.6	0.0	4.1	7.3	5.2	8.1
Syphilis - congenital	0.0	0.1	2.0	0.0	0.0	0.0	0.0	0.0	0.1

**Table 3. Notification rates of diseases by state or territory, 1 January to 31 March 2005.  
(Rate per 100,000 population) , *continued***

Disease <sup>1</sup>	State or territory								Australia
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA	
<b>Vaccine preventable diseases</b>									
Diphtheria	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<i>Haemophilus influenzae</i> type b	0.0	0.1	2.0	0.1	0.0	0.0	0.2	0.2	0.1
Influenza (laboratory confirmed)	3.7	16.4	2.0	3.0	3.1	2.5	2.3	5.0	7.5
Measles	0.0	0.2	0.0	0.0	0.3	0.8	0.1	0.0	0.1
Mumps	0.0	1.9	6.0	0.1	0.8	0.0	0.3	1.2	1.0
Pertussis	55.6	45.8	62.0	33.5	70.9	5.8	23.4	38.7	38.5
Pneumococcal disease (invasive)	12.3	4.4	20.0	4.2	4.4	6.6	4.3	5.2	4.8
Poliomyelitis	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rubella	0.0	0.1	0.0	0.2	0.0	0.0	0.2	0.0	0.1
Rubella - congenital	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tetanus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<b>Vectorborne diseases</b>									
Barmah Forest virus infection	0.0	6.4	26.0	18.3	2.3	0.0	0.2	3.2	6.5
Dengue	1.2	0.6	18.0	6.7	0.3	0.0	0.2	1.0	1.9
Flavivirus infection (NEC)	0.0	0.2	0.0	0.8	0.0	0.0	0.0	0.0	0.2
Japanese encephalitis virus	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Kunjin virus	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Malaria	6.2	7.0	30.0	14.3	5.7	8.3	2.2	4.6	7.1
Murray Valley encephalitis virus	0.0	0.0	2.0	0.1	0.0	0.0	0.0	0.0	0.0
Ross River virus infection	3.7	6.8	214.1	55.8	3.1	0.0	0.9	8.5	16.6
<b>Zoonoses</b>									
Anthrax	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Australian bat lyssavirus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brucellosis	0.0	0.0	0.0	1.3	0.0	0.0	0.1	0.0	0.3
Leptospirosis	0.0	0.8	2.0	2.2	0.0	0.0	0.1	0.0	0.7
Lyssavirus unspecified	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ornithosis	0.0	1.2	0.0	0.1	0.0	0.0	0.7	0.2	0.6
Q fever	0.0	1.4	0.0	3.8	1.0	0.0	0.2	0.0	1.4
<b>Other bacterial infections</b>									
Legionellosis	0.0	1.6	2.0	1.2	4.4	1.7	1.9	2.2	1.9
Leprosy	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.4	0.1
Meningococcal infection	2.5	2.0	4.0	1.5	0.8	0.0	1.0	1.4	1.5
Tuberculosis	0.0	4.0	10.0	2.6	2.6	1.7	6.5	3.2	4.1

1. Rates are subject to retrospective revision.

2. Not reported for New South Wales where it is only notifiable as 'foodborne disease' or 'gastroenteritis in an institution'.

3. Infections with Shiga-like toxin (verotoxin) producing *Escherichia coli* (SLTEC/VTEC).

NN Not notifiable.

NEC Not elsewhere classified.

**Table 4. Virology and serology laboratory reports by state or territory<sup>1</sup> for the reporting period 1 January to 31 March 2005, and total reports for the year<sup>2</sup>**

	State or territory								This period 2005	This period 2004	Year to date 2005 <sup>3</sup>	Year to date 2004
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA				
<b>Measles, mumps, rubella</b>												
Measles virus	–	–	–	1	1	–	–	–	2	7	2	7
Mumps virus	–	1	–	–	3	–	1	–	5	2	5	2
Rubella virus	–	–	–	1	–	–	1	2	4	6	4	6
<b>Hepatitis viruses</b>												
Hepatitis A virus	–	–	–	3	2	–	–	1	6	10	6	10
Hepatitis D virus	–	–	–	–	1	–	1	–	2	3	2	3
Hepatitis E virus	–	–	–	–	–	–	5	–	5	5	5	5
<b>Arboviruses</b>												
Ross River virus	–	5	23	161	16	–	2	1	208	431	208	431
Barmah Forest virus	–	1	–	43	10	–	–	–	54	85	54	85
Flavivirus (unspecified)	–	–	3	10	–	–	–	–	13	49	13	49
<b>Adenoviruses</b>												
Adenovirus not typed/ pending	–	15	–	16	53	–	1	–	85	171	85	171
<b>Herpesviruses</b>												
Herpes virus type 6	–	–	–	–	–	–	1	–	1	–	1	–
Cytomegalovirus	6	39	2	26	64	1	6	–	144	208	144	208
Varicella-zoster virus	2	30	3	213	103	–	3	1	355	450	355	450
Epstein-Barr virus	–	7	27	214	177	1	17	109	552	629	552	629
<b>Other DNA viruses</b>												
Parvovirus	–	4	–	30	10	1	9	–	54	61	54	61
Picornavirus family												
Echovirus type 7	–	2	–	–	–	–	–	–	2	–	2	–
Echovirus type 18	1	5	–	–	–	–	–	–	6	3	6	3
Echovirus type 30	–	6	–	–	1	–	–	–	7	2	7	2
Poliovirus type 1 (uncharacterised)	–	2	–	–	–	–	–	–	2	2	2	2
Poliovirus type 2 (uncharacterised)	–	3	–	–	–	–	–	–	3	2	3	2
Poliovirus type 3 (uncharacterised)	–	1	–	–	–	–	–	–	1	–	1	–
Rhinovirus (all types)	1	52	–	–	14	–	–	–	67	81	67	81
Enterovirus type 71 (BCR)	1	–	–	–	–	–	–	–	1	2	1	2
Enterovirus not typed/ pending	–	15	–	4	1	–	2	–	22	42	22	42
<b>Ortho/paramyxoviruses</b>												
Influenza A virus	–	1	–	5	15	–	1	–	22	40	22	40
Influenza B virus	–	–	–	3	21	1	2	–	27	12	27	12
Parainfluenza virus type 1	–	1	–	1	4	–	1	–	7	40	7	40
Parainfluenza virus type 2	–	1	–	–	5	–	–	–	6	2	6	2
Parainfluenza virus type 3	–	17	–	–	20	–	–	–	37	88	37	88
Respiratory syncytial virus	–	35	–	39	12	2	1	–	89	200	89	200
<b>Other RNA viruses</b>												
HTLV-1	–	–	–	–	1	–	1	–	2	2	2	2
Rotavirus	–	10	–	–	36	–	1	–	47	77	47	77
Norwalk agent	–	–	–	–	–	–	2	–	2	83	2	83

**Table 4. Virology and serology laboratory reports by state or territory<sup>1</sup> for the reporting period 1 January to 31 March 2005, and total reports for the year,<sup>2</sup> continued**

	State or territory								This period 2005	This period 2004	Year to date 2005 <sup>3</sup>	Year to date 2004
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA				
<b>Other</b>												
<i>Chlamydia trachomatis</i> not typed	10	205	3	506	415	13	4	1	1,157	1,185	1,157	1,185
<i>Chlamydia pneumoniae</i>	–	1	–	–	–	–	2	–	3	2	3	2
<i>Chlamydia psittaci</i>	–	1	–	–	–	–	13	–	14	62	14	62
<i>Mycoplasma pneumoniae</i>	–	7	2	86	69	1	61	8	234	355	234	355
<i>Mycoplasma hominis</i>	–	1	–	–	–	–	–	–	1	1	1	1
<i>Coxiella burnetii</i> (Q fever)	–	2	–	6	25	–	1	–	34	48	34	48
<i>Rickettsia prowazeki</i>	–	–	–	–	22	–	–	–	22	–	22	–
<i>Rickettsia tsutsugamushi</i>	–	–	–	–	11	–	–	–	11	–	11	–
<i>Rickettsia</i> - Spotted fever group	–	–	–	–	47	2	–	–	49	–	49	–
<i>Streptococcus</i> group A	–	2	–	75	–	–	27	–	104	125	104	125
<i>Yersinia enterocolitica</i>	–	4	–	–	–	–	–	–	4	1	4	1
<i>Brucella abortus</i>	–	–	–	–	–	–	1	–	1	3	1	3
<i>Brucella</i> species	–	–	–	2	–	–	–	–	2	–	2	–
<i>Bordetella pertussis</i>	–	12	3	78	201	–	87	–	381	156	381	156
<i>Legionella pneumophila</i>	–	–	–	–	2	–	4	–	6	20	6	20
<i>Legionella longbeachae</i>	–	–	–	–	7	–	4	–	11	16	11	16
<i>Cryptococcus</i> species	–	–	–	4	6	–	–	–	10	13	10	13
<i>Leptospira</i> species	–	–	–	3	–	–	–	–	3	13	3	13
<i>Treponema pallidum</i>	1	9	1	114	98	–	–	–	223	328	223	328
<i>Entamoeba histolytica</i>	–	–	–	2	–	–	2	–	4	4	4	4
<i>Toxoplasma gondii</i>	–	1	–	2	3	–	2	–	8	14	8	14
<i>Echinococcus granulosus</i>	–	1	–	–	4	–	–	–	5	4	5	4
<b>Total</b>	<b>22</b>	<b>499</b>	<b>67</b>	<b>1,648</b>	<b>1,480</b>	<b>22</b>	<b>266</b>	<b>123</b>	<b>4,127</b>	<b>5,145</b>	<b>4,127</b>	<b>5,145</b>

1. State or territory of postcode, if reported, otherwise state or territory of reporting laboratory.
  2. Data presented are for reports with reports dates in the current period.
- No data received this period.



**Table 5. Virology and serology reports by laboratories for the reporting period 1 January to 31 March 2005\***

State or territory	Laboratory	January 2005	February 2005	March 2005	Total this period
Australian Capital Territory	The Canberra Hospital	-	-	-	-
New South Wales	Institute of Clinical Pathology and Medical Research, Westmead	62	88	129	279
	New Children's Hospital, Westmead	29	47	43	119
	Repatriation General Hospital, Concord	-	-	-	-
	Royal Prince Alfred Hospital, Camperdown	29	30	3	62
	South West Area Pathology Service, Liverpool	-	-	-	0
Queensland	Queensland Medical Laboratory, West End	603	543	596	1,742
	Townsville General Hospital	-	-	-	-
South Australia	Institute of Medical and Veterinary Science, Adelaide	436	463	578	1,477
Tasmania	Northern Tasmanian Pathology Service, Launceston	6	6	10	22
	Royal Hobart Hospital, Hobart	-	-	-	-
Victoria	Monash Medical Centre, Melbourne	9	-	-	9
	Royal Children's Hospital, Melbourne	46	54	39	139
	Victorian Infectious Diseases Reference Laboratory, Fairfield	48	37	24	109
Western Australia	PathCentre Virology, Perth	-	-	-	-
	Princess Margaret Hospital, Perth	-	-	-	-
	Western Diagnostic Pathology	35	58	76	169
<b>Total</b>		<b>1,303</b>	<b>1,326</b>	<b>1,498</b>	<b>4,127</b>

\* The complete list of laboratories reporting for the 12 months, January to December 2005, will appear in every report regardless of whether reports were received in this reporting period. Reports are not always received from all laboratories.

- No data received this period.